

# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



130  
JUL 23 1920  
SPRING OF 1904

# WHOLESALE TRADE LIST OF THE FRAMINGHAM NURSERIES

W. B. WHITTIER & CO.  
SOUTH FRAMINGHAM, MASS.



Telephone 142-4, Framingham.

## *How to Reach Our Nurseries from Boston.*

Take train at South Union Station (30 trains daily) to South Framingham, thence by Saxonville electric cars 1 1-2 miles, to within a few minutes walk of our office.

The Boston and Worcester (a new electric line from Boston to Worcester) cars pass in sight and quite near our grounds.

Boston & Worcester cars leave Park Square every 30 minutes (fare 20 cents); also Chestnut Hill cars leaving Park Street Station (subway) every 12 minutes make close connections at Chestnut Hill with the Boston & Worcester.

Corner of Eastern Avenue and Concord Streets is the nearest stopping point on Boston & Worcester line.

## COMMONWEALTH OF MASSACHUSETTS.

STATE BOARD OF AGRICULTURE.

Official Certificate No. 15.

BOSTON, August 31, 1903.

### TO WHOM IT MAY CONCERN:

This is to certify that I have this thirty-first day of August, 1903, completed the inspection of the nursery stock of W. B. Whittier & Co., grown at South Framingham, State of Massachusetts, and find it to be apparently free from the San Jose scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden.

This certificate is good until July 1, 1904.

(Signed) H. T. FERNALD, INSPECTOR.

Inspected by DEPUTIES E. A. BACK AND H. E. HODGKISS.

## NOTICE

1. This list is intended for Nurserymen, Landscape Gardeners, Florists and Dealers in Nursery Stock.

Parties unknown to us, when writing for trade lists, should use printed stationery or enclose business card, so that we may know they are entitled to receive them. We will not send wholesale lists to gardeners on private estates.

2. The stock herein offered is strictly first-class in all respects, all nursery grown, and every tree, shrub, plant and vine offered in our list has been transplanted; all shade trees twice, all evergreens three times.

3. We will supply five, fifty and five hundred at the ten, hundred and thousand rates; but we cannot furnish long lists of varieties, two or three of a sort, either at the hundred or ten rates.

4. We commence shipping about April 1st in Spring continuing until about May 20th to June 1st and in autumn usually from about October 1st until the ground freezes.

5. Most varieties of evergreen can be transplanted with safety in August and September.

6. We never substitute unless authorized by the purchaser to do so. In case we are sold out of the variety ordered, the customer is notified at once.

7. To avoid misunderstanding, purchasers should be careful in ordering to state the size, 1 to 2 ft, 2 1-2 to 3 ft, 3 to 4 ft., etc., just as noted in list.

8. Purchasers will please give explicit shipping directions. State in all cases whether you want your goods by freight or express. When no special mode of conveyance is mentioned, we will forward according to our best judgment, but we cannot assume any responsibility after the goods are delivered to the forwarders.

9. We pack carefully in boxes and bales, using damp moss to protect the roots, for which a charge will be made sufficient to cover cost.

10. Terms cash, except that to reliable parties we are glad to allow until June 1st on Spring bills, and December 1st on Fall bills. All Spring bills remaining unpaid June 1st and Fall bills December 1st will be subject to sight draft without further notice, unless special arrangements are made.

11. We will not ship any stock or accept orders from unknown parties without cash in advance, satisfactory reference or security. On receiving orders from such parties we will at once communicate with their references, and if a satisfactory reply is received the plants will be shipped.

12. We will not send goods by express C. O. D. unless twenty-five per cent. of the amount of order accompanies same as a guarantee.

13. All claims for deficiencies or errors of whatever nature, should be made immediately upon receipt of stock, so that the same may be rectified without delay.

14. Freight or express charges will be prepaid, when so directed, and the amount added to the bill. We will ship stock on the day specified, if possible, but it will help us greatly to have a few days' notice before the goods are to be shipped. Early orders are always preferred.

FRAMINGHAM NURSERIES,  
W. B. WHITTIER & CO.

## SHADE AND ORNAMENTAL TREES.

	10	100
Acer campestre, English Maple, 5 to 7 ft . . . . .	4 00	
" " " " 9 to 10 ft . . . . .	7 50	
" dasycarpum, var. Wier's, Cut-leaved Maple, 9 to 10 ft . . . . .	5 00	
" " " " 10 to 12 ft . . . . .	7 50	
" negundo, Ash-leaved Maple, 8 to 10 ft . . . . .	3 50	
" " " " 10 to 12 ft . . . . .	5 00	
" platanoides, Norway Maple, 6 to 8 ft . . . . .	3 00	20 00
" " " " 8 to 9 ft . . . . .	4 50	35 00
" " " " 9 to 10 ft . . . . .	5 50	45 00
" " " " 10 to 12 ft . . . . .	9 00	75 00
" " var. Geneva, Purple-leaved Maple, 6 to 8 ft . . . . .	5 00	
" " " Schwedlerii " 7 to 9 ft . . . . .	6 00	
" pseudo-platanus, Sycamore Maple, 8 to 9 ft . . . . .	5 00	
" Tartaricum, var. Ginnala, 2 to 3 ft . . . . .	1 00	8 00
" Saccharinum, Sugar Maple, 6 to 8 ft . . . . .	2 50	20 00
" " " 8 to 9 ft . . . . .	3 50	30 00
" " " 10 to 12 ft . . . . .	7 50	60 00
" Japonicum, var. atropurpureum, Japanese Maple XX spec. 2½ to 3 ft	15 00	
Aesculus hippocastanum, Horse Chestnut, 4 to 5 ft . . . . .	3 50	
" " " 8 to 9 ft . . . . .	6 00	
" " var. rubicunda, Red-flowering Horse Chest- nut, 6 to 8 ft . . . . .	10 00	
Betula Alba, European White Birch, 6 to 8 ft . . . . .	2 50	
" " " 8 to 10 ft . . . . .	4 00	
" " var. Young's Weeping, 7 to 9 ft . . . . .	\$1 50 each	
" papyracea, Canoe Birch, 6 to 8 ft . . . . .	2 50	20 00
" " " 8 to 9 ft . . . . .	4 00	
" nigra, Red or River Birch, 6 to 8 ft X . . . . .	3 50	
" " " " 8 to 9 ft XX . . . . .	5 00	
Carpinus Americana, Hornbeam, 2½ to 4 ft . . . . .	2 00	15 00
" " " 4 to 6 ft XX . . . . .	4 00	
Castanea Americana, Sweet Chestnut, 4 to 5 ft . . . . .	3 50	
Catalpa Speciosa, 4 to 6 ft . . . . .	2 50	20 00
" " 9 to 12 ft . . . . .	5 00	
Celtis occidentalis, Nettle Tree, 7 to 9 ft X . . . . .	4 50	
" " " 9 to 11 ft XX . . . . .	9 00	
Cercidiphyllum Japonicum, 2½ to 3 ft . . . . .	2 50	18 00
" " 5 to 6 ft XX . . . . .	5 00	
Cercis canadensis, Judas Tree or Red Bud, 2½ to 3 ft . . . . .	2 00	
" " " 6 to 8 ft . . . . .	4 50	
Cladrastis tinctoria, Virgilia Lutea, 4 to 6 ft . . . . .	4 00	

		10	100
Cratægus coccinea, White Thorn, 1½ to 2 ft . . . . .		1 00	8 00
“ “ “ “ 4 to 5 ft . . . . .		3 50	
“ cordata, Washington Thorn, 2 to 2½ ft . \$80 00 per 1000		1 25	10 00
“ “ “ “ 2½ to 3 ft . \$90 00 per 1000		1 50	12 00
“ “ “ “ 4 to 5 ft XX . . . . .		4 50	40 00
“ crus-galli, Cockspur Thorn, 1½ to 2 ft . \$65 00 per 1000		1 00	8 00
“ “ “ “ 2½ to 3 ft . \$90 00 per 1000		1 50	12 00
“ “ “ “ 3 ft XX . . . . .		2 00	15 00
Fagus ferruginea, American Beech, 3 to 4 ft X . . . . .		4 00	35 00
“ “ “ “ 4 to 5 ft XX . . . . .		5 00	45 00
“ “ “ “ 5 to 6 ft . . . . .		7 00	
“ sylvatica, European Beech, 4 to 5 ft . . . . .		3 50	
“ “ “ “ 6 to 7 ft . . . . .		5 00	
“ “ heterophylla, Fern-leaved Beech, 5 to 6 ft . . . . .		12 00	
“ “ pendula, Weeping Beech, 6 to 7 ft . \$1 50 each		12 00	
“ “ purpurea, Purple-leaved Beech, 4 to 5 ft . . . . .		6 00	
“ “ var. Rivers Purple Beech, 6 to 7 ft . . . . .		10 00	
Fraxinus Americana, White Ash, 4 to 5 ft . . . . .		1 00	8 00
“ “ “ “ 6 to 7 ft . . . . .		1 75	15 00
Larix Europæa; European Larch, 3½ to 4 ft . . . . .		2 00	
“ “ “ “ 4 to 5 ft . . . . .		3 00	20 00
Liriodendron tulipifera, Tulip Tree, 6 to 8 ft . . . . .		5 00	
Magnolia Alexandra, 5 to 6 ft XX . . . . . \$2 50 each			
“ Soulangeana, 5 to 6 ft XX . . . . . \$2 to \$3 each			
“ Speciosa, 4 to 5 ft XX . . . . . \$2 to \$3 each			
“ Halleana, 3 ft XX . . . . . \$2 to \$2 50 each			
Morus pendula, Weeping Mulberry (2-yr heads), 5 to 6 ft . . . . .		6 00	
Populus alba, Silver-leaved Poplar, 6 to 8 ft . . . . .		1 75	10 00
“ “ “ “ 8 to 10 ft . . . . .		2 50	20 00
“ fastigiata, Lombardy Poplar, 6 to 8 ft . . . . .		1 50	
“ monilifera, Carolina Poplar, 9 to 12 ft . . . . .		2 50	20 00
Prunus pissardi, Purple leaved Plum, 5 to 6 ft . . . . .		2 00	15 00
Quercus bicolor, Swamp White Oak, 4 to 5 ft . . . . .		3 00	
“ “ “ “ 6 to 8 ft . . . . .		4 00	
“ palustris, Pin Oak, 6 to 7 ft . . . . .		4 00	35 00
“ “ “ “ 7 to 9 ft . . . . .		6 50	50 00
Salix alba, Common White Willow, 4 to 5 ft . . . . .		1 20	8 00
“ pentandra, Laurel Leaf Willow, 3 to 4 ft . . . . .		75	5 00
“ vitellina aurea, Golden-barked Willow, 4 to 5 ft . . . . .		1 25	8 00
Syringa Japonica, Japanese Tree Lilac, 3 to 4 ft . . . . .		1 50	10 00
“ “ “ “ 4 to 5 ft . . . . .		2 50	18 00
“ “ “ “ 6 to 7 ft . . . . .		5 00	40 00
Taxodium distichum, 7 to 9 ft . . . . . 60c each		5 00	
Tilia Americana, American Linden, 6 to 8 ft . . . . .		2 50	20 00
“ “ “ “ 8 to 10 ft . . . . .		5 00	40 00

	10	100
Tilia Europæa, European Linden, 7 to 9 ft . . . . .	2 50	20 00
“ “ “ “ 9 to 12 ft XX . . . . .	7 50	
Ulmus Americana, American Elm, 8 to 10 ft . . . . .	4 00	30 00
“ “ “ “ 10 to 12 ft . . . . .	7 50	
“ “ European Elm, 10 to 12 ft . . . . .	7 50	
“ “ diam., 3 to 4 in., 12 to 15 ft . . . . .	15 00	
“ “ fulva, Slippery Elm, 8 to 10 ft . . . . .	7 50	

## FLOWERING SHRUBS.

Amelanchier canadensis, June Berry, 1 1-2 to 2 ft . . . . .	1 50	12 00
“ “ “ “ 2 to 3 ft . . . . .	2 50	20 00
Amorpha fruticosa, Indigo Shrub, 3 to 4 ft . . . . .	1 00	
Aralia pentaphylla, 2 to 2 1-2 ft., bushy . . . . .	1 00	7 00
“ “ 2 1-2 to 3 ft., “ . . . . .	1 20	8 00
“ “ 3 to 4 ft., light . . . . .	1 20	8 00
“ “ 3 1-2 to 4 ft., heavy . . . . .	1 50	12 00
“ spinosa, 2 to 3 ft., . . . . .	1 20	
“ “ 4 to 5 ft., . . . . .	2 50	
Azalea arborescens, 12 to 15 inches . . . . .	2 00	
“ calendulacea, 18 to 24 in. . . . .	3 50	
“ mollis, 10 to 12 inches (with buds) . . . . .	2 00	15 00
“ “ 12 to 15 in. “ “ . . . . .	2 50	18 00
“ “ 18 to 20 in. XX . . . . .	5 00	40 00
“ nudiflora, 12 in . . . . .	3 00	
“ vaseyi, 2 ft. . . . .	4 00	
“ voscosa, 2 ft . . . . .	2 50	
Baccharis halimifolia, 2 to 3 ft . . . . .	1 00	7 00
Berberis Neubertii, 1 1-2 to 2 ft . . . . .	2 50	
“ Thunbergii, 12 to 15 in. . . . .	75	6 00
“ “ 15 to 20 in . . . . .	1 00	8 00
“ vulgaris, Common Barberry, 15 to 20 in . . . . .	80	7 00
“ “ “ “ 2 to 2 1-2 ft . . . . .	1 00	8 00
“ purpurea, Purple-leaved Barberry, 2 to 3 ft . . . . .	1 00	8 00
Calycanthus Floridus, Sweet Shrub, 1 1-2 to 2 ft . . . . .	1 00	8 00
Caragana arbore-cens, Siberian Pea, 3 to 5 ft XX . . . . .	1 25	9 00
Chimanthus virginica, White Fringe, 1 1-2 to 2 ft . . . . .	1 25	12 00
Chionanthus “ “ “ 2 1-2 to 3 ft XX . . . . .	2 50	20 00
Clethra alnifolia, 1 1-2 to 2 ft . . . . .	1 00	8 00
Cornus florida, White Dogwood, 2 to 3 ft . . . . .	1 50	10 00
“ “ “ “ 3 to 4 ft . . . . .	2 50	15 00
“ “ “ “ 4 to 6 ft XX . . . . .	4 50	
“ sericea, Silky Dogwood, 2 to 3 ft . . . . .	75	6 00
“ “ “ “ 3 to 3 1-2 ft . . . . .	1 00	8 00

	10	100
Cornus stolonifera, Red barked Dogwood, 2 1-2 to 3 ft . . . . .	1 00	7 00
“ “ “ “ 3 to 3 1-2 ft . . . . .	1 20	9 00
“ “ aurea, Yellow barked Dogwood, 2 ft . . . . .	1 20	12 00
“ “ “ “ “ 2 to 3 ft . . . . .	2 00	15 00
“ “ Baley, very dark bark erect habit, 2 1 2 to 3 ft . . . . .	1 00	8 00
“ “ “ “ “ “ 3 to 4 ft . . . . .	1 50	10 00
Desmodium penduliflorum, Sweet Pea Shrub, 3 yrs . . . . .	1 25	10 00
Deutzia crenata, 3 to 4 ft . . . . .	1 20	9 00
“ gracilis, 10 to 15 in . . . . .	1 00	6 00
“ “ 1 1-2 to 2 ft . . . . .	1 00	8 00
“ Lemoinei, 2 to 3 ft . . . . .	1 20	9 00
Eleagnus angustifolia, fine bushy plants, 2 to 3 ft . . . . .	1 25	10 00
“ longipes, 2 1 2 to 3 ft. X . . . . .	1 50	12 00
Euonymus alatus, 15 to 18 in . . . . .	1 75	
“ “ 1 1-2 to 2 ft . . . . .	2 50	
“ Bungeanus, 4 to 5 ft . . . . .	2 50	
“ Europeus, 3 to 4 ft . . . . .	1 00	8 00
“ “ 4 to 5 ft . . . . .	1 25	10 10
“ “ 5 to 6 ft XX . . . . .	3 00	
“ nanus, 12 to 15 inches . . . . .	1 75	
Exochorda grandiflora, Pearl Bush, 2 to 2 1-2 ft . . . . .	1 00	
“ “ “ 2 1-2 to 3 ft . . . . .	1 50	
Forsythia Fortunei, Golden Bells, 3 to 4 ft . . . . .	1 00	9 00
“ “ “ 4 to 5 ft . . . . .	1 50	12 00
“ intermedia “ 2 to 3 ft . . . . .	1 00	8 00
“ suspensa “ 2 to 3 ft . . . . .	1 00	8 00
Hamamelis virginica, Witch Hazel, 2 to 3 ft . . . . .	1 00	7 00
“ “ “ 3 to 3 1-2 ft . . . . .	1 25	10 00
“ “ “ 4 to 6 ft . . . . .	2 00	
Hibiscus syracus (Althea) double Rose, 2 1-2 to 3 ft . . . . .	1 20	10 00
“ “ “ Pink 2 1-2 to 3 ft . . . . .	1 20	10 00
“ “ “ White, pink centre, 2 1-2 to 3 ft . . . . .	1 20	10 00
Hydrangea paniculata, single flowered Hydrangea, 2 1-2 to 3 ft . . . . .	75	6 00
“ “ “ “ 3 to 3 1-2 ft. . . . .	1 00	8 00
“ “ “ “ 3 1-2 to 5 ft . . . . .	1 25	10 00
“ “ grandiflora, 2 to 2 1 2 ft . . . . .	1 00	8 00
“ “ “ 2 1 2 to 3 ft . . . . .	1 20	9 00
“ “ “ 3 to 4 ft . . . . .	1 50	12 00
“ vestita, 1 to 1-2 ft . . . . .	1 00	8 00
“ “ strong, bushy plants, 2 to 3 ft . . . . .	2 50	20 00
Hypericum aureum, 18 to 24 inches . . . . .	75	6 00
“ Kalmianum, 2 ft . . . . .	75	6 00
Ilex verticillata, Black Alder, 1 1-2 to 2 ft . . . . .	1 00	8 00
“ “ “ 2 to 3 ft . . . . .	1 50	12 00



	10	100
Kerria Japonica, (corchorus) 2 to 3 ft . . . . .	1 00	8 00
" " variegata, 12 to 18 inches . . . . .	1 25	10 00
Lespedeza bicolor, 2 to 3 ft . . . . .	75	6 00
Ligustrum Ibotia, 2 to 2½ ft . . . . .	75	6 00
" " 2½ to 3 ft . . . . .	1 00	8 00
" " var. Regelianum, 2 to 2½ ft . . . . .	1 25	10 00
" ovalifolium (Californita Privet), 2½ to 3 ft . . . . .	60	3 50
" vulgaris (Common Privet), 2 to 2½ ft . . . . .	75	5 00
" " " " 2½ to 3 ft . . . . .	1 00	7 00
" " " " 3 to 3½ ft XX . . . . .	1 25	10 00
Lindera benzoin, 2 to 2½ ft . . . . .	1 00	
Lonicera tartarica, Bush Honeysuckle, 3 to 4 ft . . . . .	1 00	8 00
" " alba " 3 to 4 ft . . . . .	1 00	8 00
" " pink " 2 to 2½ ft . . . . .	75	6 00
" " " " 2½ to 3 ft . . . . .	1 00	8 00
" " var. Morrowii, 2 to 2½ ft . . . . .	1 00	7 00
" " " " 3 to 3½ ft . . . . .	1 25	
Myrica cerifera, Wax Myrtle, 9 to 12 in., bushy . . . . .	1 00	7 00
" " " 12 to 18 in. XX . . . . .	1 25	10 00
Philadelphus coronarius, 2½ to 3 ft . . . . .	1 00	7 00
" " 3 to 4 ft . . . . .	1 20	8 00
" grandiflorus, 2½ to 3 ft. . . . .	1 00	
" Gordonianum, 3 to 3½ ft . . . . .	1 25	
Potentilla fruticosa, 18 to 24 in. . . . .	75	6 00
Prunus Americana, Wild Plum, 3 to 4 ft . . . . .	75	6 00
" maritima, Beach Plum, 2 to 2½ ft . . . . .	80	7 00
" pumilla, 2 to 2½ ft . . . . .	80	7 00
" " 3 to 3½ ft . . . . .	1 00	8 00
Ptelia trifoliata, Hop Tree, 2 to 3 ft . . . . .	75	6 00
" " aurea, Golden Hop Tree . . . . .	1 50	12 00
Pyrus arbutifolia, Choke Berry, 3 to 4 ft . . . . .	1 00	7 00
Rhamus catharticus, Buckthorn, 3 to 4 ft . . . . .	1 00	8 00
Rhodotypus kerrioides, 1½ to 2 ft . . . . .	1 00	7 00
Rhus cotinus, Purple Fringe, 4 to 5 ft . . . . .	1 50	
" typhina, Staghorn Sumach, 3 to 4 ft . . . . .	1 00	8 00
" " laciniata (scarce), 1 to 2 ft . . . . .	1 50	12 00
" " " 3 to 4 ft . . . . .	3 50	25 00
Ribes aureum, Flowering Currant 2 to 2½ ft . . . . .	1 00	
Rosa blanda, 2½ to 3 ft . . . . .	1 50	
" carolina, 2 ft . . . . .	75	6 00
" lucida, 1½ to 2 ft . . . . .	1 00	8 00
" " 2 to 2½ ft XX . . . . .	1 20	10 00
" " alba, 1½ to 2 ft XX . . . . .	1 75	15 00
" multiflora Japonica, 2 to 3 ft XX . . . . .	1 00	7 00

	10	100
Rosa nitida, 12 to 18 in. . . . .	1 00	7 00
“ “ 1 1-2 to 2 1-2 ft XX . . . . .	1 25	10 00
(We have an exceptionally fine lot of Rosa lucida, Lucida Alba and Nitida.)		
Rosa rubrifolia, 2 to 2 1-2 ft . . . . .	1 00	8 00
“ “ 2 1-2 to 3 1/2 ft XX . . . . .	1 50	12 00
“ rosgosa, 1 1-2 to 2 ft . . . . .	1 00	8 00
“ “ 2 to 3 ft . . . . .	1 50	12 00
“ setigera, 2 to 3 ft . . . . .	1 00	8 00
“ “ 3 to 4 ft . . . . .	1 25	10 00
Sambucus nigra aurea, Golden Elder, 2 to 3 ft . . . . .		
Spiraea Anthony Waterer, 12 to 15 in. . . . .	80	6 00
“ “ “ 1 1-2 to 2 ft XX . . . . .	1 00	8 00
“ arguta, 2 to 3 ft . . . . .	80	7 00
“ “ 3 to 3 1-2 ft . . . . .	1 25	10 00
“ bumalda, 12 to 15 in. . . . .	80	6 00
“ “ 15 to 20 in. XX . . . . .	1 00	8 00
“ callosa alba, 12 to 15 in., clumps . . . . .	80	7 00
“ opulifolia, 2 1 2 to 3 ft . . . . .	1 00	8 00
“ “ aurea, 2 1-2 to 3 ft . . . . .	1 00	8 00
“ prunifolia, 2 1-2 to 3 ft . . . . .	1 25	
“ rotundifolia, 2 1-2 to 3 ft . . . . .	1 00	8 00
“ Thunbergii, 2 to 2 1-2 ft . . . . .	1 00	8 00
“ van Houttei, 2 to 3 ft . . . . .	1 00	8 00
“ “ 3 to 3 1-2 ft . . . . .	1 25	
Stephanandra flexuosa, 1 1-2 to 2 ft . . . . .	1 00	8 00
“ “ 2 to 2 1-2 ft XX, bushy . . . . .	1 50	12 00
Symphoricarpus racemosus, 2 to 3 ft . . . . .	1 00	7 00
“ vulgaris, 2 to 3 ft . . . . .	75	6 00
Syringa vulgaris, Common Lilac, 2 1-2 to 3 ft . . . . .	1 25	10 00
“ “ alba, White Lilac, 2 ft . . . . .	1 00	8 00
“ “ “ 2 1-2 to 3 ft XX . . . . .	1 50	12 00
“ persica, Persian Lilac, 2 1-2 to 3 ft . . . . .	1 50	
Vaccinium corymbosum, Blueberry, 12 to 18 in. . . . .	1 25	12 00
Viburnum cassinoides, 15 to 18 in. . . . .	1 50	
“ “ 18 to 24 in. . . . .	2 00	
“ “ 2 to 2 1-2 ft XX . . . . .	2 50	
“ dentatum, 12 to 15 in. . . . .	1 00	
“ lantana, 1 1-2 to 2 ft . . . . .	1 20	
“ “ 2 to 3 ft . . . . .	1 50	
“ lentago, 1 1-2 to 2 ft . . . . .	1 00	
“ molle, 15 to 20 in. . . . .	1 25	
“ nudum, 1 1-2 to 2 ft . . . . .	1 25	
“ opulus, 15 to 20 in. . . . .	1 00	
“ plicatum, Japan Snowball, 2 1-2 to 3 ft . . . . .	2 50	
“ “ “ 3 to 4 ft XX . . . . .	3 50	

	10	100
Viburnum prunifolium, 12 to 15 in. . . . .	1 25	
" " 2 to 3 ft XX . . . . .	2 50	
" Sieboldianum, 20 to 30 in. . . . .	1 75	
" " 3 to 4 ft . . . . .	4 00	
" tomentosum, 2 to 3 ft . . . . .	1 50	
" " 3 to 3½ ft . . . . .	3 00	
Weigelia candida (White), 3 to 4 ft . . . . .	1 50	
" Eva Rathke (Red), 2 ft . . . . .	2 00	
" lutea (Yellow), 2 to 3 ft . . . . .	1 00	
" rosea (Pink), 3 to 4 ft . . . . .	1 25	10 00
" variegata, variegated-leaved Weigelia 2 to 3 ft . . . . .	1 25	10 00
Yucca filamentosa, 3 yrs . . . . .	1 00	8 00
" 4 yrs XX . . . . .	1 50	
Zanthorrhiza apifolia, 10 to 12 in. . . . .	1 20	10 00
Hybrid Perpetual Roses, strong plants . . . . .	1 50	12 00

## VARIETIES AS FOLLOWS:

Abel Carriere, Alfred Colomb, Anne de Diesbach, Baron Bonstettin, Baronne de Maynard, Baroness Rothschild, Captain Cristy, Charles Lefebvre, Duchess of Albany, Duke of Connaught, Duke of Edinburgh, Eugene Verdier, Fisher Holmes, General Jacqueminot, John Hopper, La France, Margaret Dickson, Madame Charles Wood, Madame Gabriel Luizet, Mrs. John Laing, Paul Neyron, Ulrich Brunner, Prince Camille de Rohan, White Baroness

## CLIMBING AND TRAILING ROSES.

Crimson Rambler, 3 to 5 ft XX . . . . .	2 50	20 00
" " 3 to 4 ft X . . . . .	2 00	18 00
" " medium, 18 to 24 in. . . . .	1 50	12 00
Baltimore Belle, 2 yrs, good strong plants . . . . .	1 25	
Dorothy Perkins, strong field-grown plants . . . . .	2 50	

(NOTE—We consider Dorothy Perkins *one* of the best, if not the best, Climbing Rose we have ever handled. It has proved hardy here, having stood on our grounds two Winters without any protection. It is a strong grower and free bloomer; color of flowers, a beautiful pink.)

Rosa Repens, an old-fashioned trailing rose, 2 yrs . . . . .	1 20	10 00
" " " " 3 yrs . . . . .	1 50	12 00
Queen of Prairies, 3 yrs, very strong plants . . . . .	1 50	12 00
Pink Rambler, 2 yrs, medium . . . . .	1 00	
" " 3 yrs, strong plants . . . . .	1 25	
White Rambler, 2 yrs, medium . . . . .	1 20	
" " 3 yrs XX, strong . . . . .	1 50	

	10	100
Yellow Rambler, 2 yrs . . . . .	1 20	
“ “ 3 yrs . . . . .	1 50	
Wichuriana, 2 yrs, strong . . . . .	1 20	10 00

## YELLOW ROSES.

Harrison's Yellow, 2 yrs . . . . .	1 75	
Persian Yellow, 2 yrs . . . . .	1 75	

## VINES AND CLIMBING SHRUBS.

Akebia quinata, 3 yrs, strong, field-grown . . . . .	1 00	8 00
Amelopsis quinifolia, Virginia Creeper, 2 yrs . . . . .	1 00	8 00
“ dissecta, cut-leaved variety, 3 yrs . . . . .	1 50	
“ Veitchii, strong, field-grown, 2 yrs . . . . .	1 20	10 00
Aristolochia siphon, very strong, 4 yrs . . . . .	4 00	
“ “ medium, 3 yrs . . . . .	3 00	
Bigonia radicans, 2 yrs, light . . . . .	1 00	
Celastrus articulatus, 2 yrs . . . . .	1 00	8 00
“ scandens, 2 yrs . . . . .	1 00	8 00
Clematis apifolia, 2 yrs . . . . .	80	7 00
“ paniculata, 2 yrs . . . . .	80	7 00
“ “ 3 yrs, strong . . . . .	1 25	10 00
Euonymus radicans, 3 yrs, 10 to 15 in. . . . .	1 00	8 00
“ “ variegata, 3 yrs, 10 to 15 in. . . . .	1 00	8 00
Lonicera Chinensis, Chinese Twining Honeysuckle, 3 yrs . . . . .	1 20	
“ Halleana, 2 yrs . . . . .	1 00	8 00
“ sempervirens, Scarlet Trumpet Honeysuckle, 3 yrs . . . . .	1 50	
Wisteria Chinensis, Purple, 2 yrs . . . . .	1 50	
“ “ 4 yrs XX . . . . .	3 00	
“ magnifica, 3 yrs . . . . .	1 25	

## EVERGREENS.

	Each	10	100
Abies balsamea, Balsam Fir, 2 ft . . . . .	25	2 00	18 00
“ “ “ 2 to 3 ft . . . . .	40	3 50	30 00
“ concolor, 2 to 2 1-2 ft . . . . .	1 50	13 00	100 00
“ “ 2 1-2 to 3 ft . . . . .	2 00	18 00	135 00
“ “ 4 to 5 ft . . . . .	4 00	35 00	
“ Douglasii, 1 1-2 to 2 ft . . . . .	85	7 50	50 00
“ “ 3 to 4 ft . . . . .	1 75	15 00	
“ “ 4 to 5 ft . . . . .	2 00		
“ Nordmaniana, 2 1-2 to 3 ft . . . . .	1 00	9 00	
“ “ 3 to 4 ft . . . . .	1 60	15 00	
“ Veitchii, 3 to 5 ft . . . . .	4 00		

	Each	10	100
<i>Juniperus communis</i> , Spreading Juniper, 10 to 15 in. . . . .	25	2 00	15 00
" " <i>aurea</i> , Golden Juniper, 6 to 8 in diam. . . . .	25	2 00	15 00
" " " " " 2 to 3 ft. diam 1 50 to 2.00 each			
" <i>sabina</i> , Procumbent or Prostrate Juniper, 10 to 12 in. . . . .	25	2 00	
" <i>suecica</i> , Swedish Juniper, 2 1-2 to 3 ft . . . . .	50	4 00	
" <i>virginiana</i> , Red Cedar, 2 to 2 1-2 ft . . . . .	25	2 00	
" " " " 2 1-2 to 3 ft. XX . . . . .	40	3 00	25 00
" " <i>glauca</i> , Blue Cedar, 2 1-2 to 3 ft . . . . .	75	6 50	
" " " " 3 to 4 ft XX . . . . .	1 75	15 00	
" " Weeping Red Cedar, 4 to 5 ft . . . . .	2 50		

NOTE—Our Junipers are especially fine this season. We have given them an abundance of room in the rows.

<i>Picea canadensis</i> , Hemlock Spruce, 1 1-2 to 2 ft . . . . .	35	3 00	25 00
" " " " 2 to 3 ft . . . . .	50	4 00	35 00
" <i>Englemanni</i> , 1 1-2 to 2 ft . . . . .	35	3 00	25 00
" " 2 1-2 to 3 ft . . . . .	1 25	10 00	
" <i>excelsa</i> , Norway Spruce, 2 to 2 1-2 ft . . . . .	30	2 50	20 00
" " " " 2 1-2 to 3 ft . . . . .	35	3 00	30 00
" <i>inverta</i> , Weeping Spruce, 2 1-2 to 3 ft . . . . .	1 50		
" " " " 3 to 4 ft . . . . .	2 00	17 00	
" <i>pumila compacta</i> , 3 to 4 ft . . . . .	2 50		
" <i>nigra</i> , Black Spruce, 15 to 20 inches . . . . .	1 50	12 00	
" <i>Pungens</i> , selected Blue Spruce. 1 1-2 to 2 ft . . . . .	2 00	18 00	
" " " " 2 to 2 1-2 ft . . . . .	2 50	20 00	
" " <i>Kosteri glauca</i> , 1 1-2 to 2 ft . . . . .	2 50	20 00	
" " " " 2 to 2 1-2 ft . . . . .	2 75	25 00	
" " " " 2 1-2 to 3 ft . . . . .	3 50	30 00	
" " Green form, 1 1-2 to 2 ft . . . . .	35	3 00	20 00
" " " " 2 to 2 1-2 ft . . . . .	40	3 50	25 00
<i>Pinus mughus</i> , Dwarf Pine, 15 to 18 inches . . . . .	40	3 50	
" <i>strobis</i> , White Pine, 2 to 2 1-2 ft . . . . .	25	2 00	15 00
" " " " 2 1-2 to 3 ft . . . . .	30	2 50	20 00
" " " " 3 to 5 ft . . . . .	40	3 50	30 00
" <i>sylvestris</i> , Scotch Pine, 2 1-2 to 3 ft . . . . .	25	2 00	18 00
<i>Retinispora filifera</i> , 1 to 1 1-2 ft . . . . .	25	2 00	
" <i>obtusa nana</i> , 15 to 20 in . . . . .	75	6 50	
" " " 2 to 3 ft . . . . .	2 00	15 00	
" " " XX specimens, 3 1-2 to 4 1-2 ft . . . . .	3 00	25 00	
" <i>plumosa</i> , sheared specimens, 18 to 24 in . . . . .	25	2 00	
" " " " 2 to 3 ft . . . . .	40	3 50	
" " <i>aurea</i> sheared specimens, 12 to 15 inches . . . . .	25	2 00	18 00
" " " " 15 to 20 in . . . . .	35	2 50	20 00
" " " " 2 to 3 ft XX . . . . .	1 00	9 00	
" " " " 3 to 4 ft . . . . .	2 50	02 00	

	Each	10	100
Taxus Canadensis. American Yew. 15 to 18 in . . . . .	30	2 50	22 00
Our Taxus are fine bushy plants.			
Thuya occidentalis. American Arbor Vitae 2 to 3 ft . . . . .	20	1 75	15 00
" " " " " 3 to 3 1-2 ft . . . . .	30	2 50	22 00
" Hoveyi, 1 1-2 to 2 ft specimens . . . . .	35	3 00	
" pyramidalis, 2 1-2 to 3 ft . . . . .	35	3 00	
" Siberica, 1 1-2 to 2 ft . . . . .	25	2 00	
" vervaeneana, 2 1-2 to 3 ft . . . . .	50	4 00	
" " 5 to 6 ft XX specimens . . . . .	1 75		
" columbia, White tipped 2 to 2 1-2 ft . . . . .	35	3 00	

### HYBRID RHODODENDRONS.

Best named varieties, well budded, including the following:

Abraham Lincoln, Album elegans, Album Grandiflorum,

Bertie Parsons, Caractus, Charles Dickens, Delicatissimum,

Everestianum, General Grant, Gloriosum, Parsons Gloriosa,

Purpureum grandiflorum Roseum elegans, 1 1-2 to 2 ft nicely

budded . . . . . 1 25 10 00

2 to 3 ft nicely budded . . . . . 1 50 13 00

Kalmia latifolia, 1 1-2 ft X . . . . . 75 6 00

" " 2 ft XX . . . . . 1 25 10 00

### HERBACEOUS PERENNIALS.

	10	100
Asclepias tuberosa . . . . .	75	6 00
Aster Novae Angliae . . . . .	75	
Boltonia asteroides . . . . .	75	
Clematis Davidiana . . . . .	75	
Coreopsis lanceolata . . . . .	75	
Eulalia gracillima . . . . . per 1000	\$25 00	50 3 00
" Japonica . . . . . per 1000	\$25 00	50 3 00
" Zebrina . . . . . per 1000	\$25 00	50 3 00
Helenium autumnale . . . . . per 1000	\$25 00	50 <del>3 00</del>
Heuchera sanguinea . . . . .	1 00	<del>5 00</del>
Iris Germanica, mixed, good sorts . . . . .	75	
" Kaempferi " " " . . . . .	75	
" " Best named sorts . . . . .	1 25	
Rudbeckia laciniata, Golden Glow . . . . .	50	3 50

### HERBACEOUS PAEONIES.

Agida, Deep Red . . . . .	1 50	12 00
Amabilis lilacina, Light rose, (shaded white) . . . . .	1 50	
Antoine poiteau Light Pink, nearly white . . . . .	1 50	
Candidissimi, pure white . . . . .	2 00	15 00
Caroline Mather dark red . . . . .	1 50	

	10	100
Clarisse, beautiful rose pink very large flower . . . . .	2 00	15 00
Duchesse de Nemours, creamy white . . . . .	2 00	
Edulis superba, light rose pink . . . . .	1 50	
Faust light rose one of the best . . . . .	2 00	
Fastiva alba, fine white . . . . .	2 00	
Golden Harvest, creamy yellow, changing to white . . . . .	2 50	
Grandiflora alba, white . . . . .	2 00	
rubra, deep red, large flower, one of the best (late)	2 00	
Ilumei, Rose Pink, late . . . . .	1 50	
L'Esperance, Light Flesh Pink XX . . . . .	2 50	
L'Illustration, Light Violet Rose . . . . .	1 50	12 00
Louis van Houtte Glowing purple, X . . . . .	2 00	15 00
M Rousselin, Rose, centre Salmon . . . . .	1 50	
Modeste Guerin, Large Pink XX . . . . .	2 00	
Officinalis rubra, early dark red . . . . .	1 50	
Queen Victoria, white a grand variety . . . . .	2 50	
Rubens, dark carmine red . . . . .	1 50	
Rubra Triumphans, brilliant crimson XX . . . . .	2 00	
Tenuifolia fl. pl. rich crimson, with fine fringe like foliage, one of the first to bloom . . . . .	2 50	

### PHLOX DECUSSATA.

Amazon, White . . . . .	1 00	
Boule de Few Bright Salmon . . . . .	1 00	
C'oquelicot, orange scarlet, dark centre . . . . .	1 25	10 00
Eclaireur, deep magenta, with silvery rose . . . . .	1 00	8 00
Embarrassment, rose pink . . . . .	1 00	8 00
Independence fine white . . . . .	1 00	
Le Pole de Nord, white, dark crimson eye, late . . . . .	1 00	8 00
Lothair, bright Salmon . . . . .	1 00	
Madson, light pink, crimson eye . . . . .	1 00	8 00
Mme. P. Langier, bright red . . . . .	1 00	
Mars, bright red, darker eye . . . . .	1 00	
Richard Wallace, white, crimson centre . . . . .	1 00	
Ornament, salmon pink, tall grower . . . . .	1 00	7 00

### CREEPING PHLOX

Phlox subulata . . . . .	1 00	8 00
--------------------------	------	------

### Specialties for Spring of 1904.

Elm-American . . . . .	8 to 10 ft
Maple-Norway . . . . .	8 to 9 and 9 to 10 ft
Maple-Sugar . . . . .	6 to 8 and 8 to 9 ft
Thorn-Cockspur . . . . .	1 1-2 to 2 ft and 2 1-2 to 3 ft
Thorn-Washington . . . . .	2 to 2 1-2 ft and 2 1-2 to 3 ft
Japanese Tree Lilac . . . . .	3 to 4, 4 to 5 and 6 to 7 ft
Azalea mollis . . . . .	10 to 12 and 12 to 15 in
White Dogwood . . . . .	2 to 3 ft and 3 to 4 ft
Red-barked Dogwood . . . . .	2 1-2 to 3 ft and 3 to 3 1-2 ft
Yellow-barked Dogwood . . . . .	2 ft and 2 to 3 ft
Hydrangea paniculata (Type) . . . . .	3 to 4 ft
Ligustrum Iboia . . . . .	2 to 2 1-2 ft
Rhodotyphus kerrioides . . . . .	1 1-2 to 2 ft
Spiraea arguta . . . . .	2 to 3 ft and 3 to 3 1-2 ft
Stephanandra flexuoso . . . . .	1 1-2 to 2 ft and 2 to 2 1-2 ft
Red Cedar . . . . .	2 1-2 to 3 ft
White Pine . . . . .	2 to 2 1-2, 2 1-2 to 3 ft and 3 to 5 ft

Write for special quotation on lots of 250 or more of any of the above varieties.







BLOCK OF SUGAR MAPLES, FOUR YEARS OLD.

Three years transplanted from the seed bed. The trees when photographed were seven to nine feet, and show the vigorous growth obtained on our soil.